

# INDEX MAPS.

## T. 8 N. R. 9 W. 2<sup>nd</sup> Mer.

	87 90	88 90	88 89	88 89	88 89	88 89						
92	6	112	5	106	4	103	3	99	2	95	1	87
	111	111	106	102	99	95						
91	7	111	8	106	9	102	10	99	11	95	12	87
	110	110	105	102	98	94						
91	18	110	17	105	16	101	15	98	14	94	13	86
	109	109	105	101	98	94						
91	19	109	20	104	21	101	22	97	23	93	24	86
	108	108	104	100	97	93						
91	30	108	29	104	28	100	27	96	26	93	25	86
	107	107	103	100	96	92						
90	31	107	32	103	33	100	34	96	35	92	36	86
	83 85	83 85	83 85	83 84	83 84	83 84						

## T. 9 N. R. 9 W. 2<sup>nd</sup> Mer.

	117 120	117 120	118 119	118 119	118 119	118 119						
122	6	140	5	134	4	131	3	128	2	125	1	117
	139		139		134		131		128		125	
121	7	139	8	134	9	130	10	127	11	124	12	117
	138		138		133		130		127		124	
121	18	138	17	133	16	130	15	127	14	124	13	116
	137		137		133		129		127		123	
121	19	137	20	132	21	129	22	126	23	123	24	116
	136		136		132		129		126		123	
121	30	136	29	132	28	129	27	126	26	123	25	116
	135		135		132		129		125		122	
120	31	135	32	131	33	128	34	125	35	122	36	115
	113 115		113 115		113 115		113 114		113 114		114	

The figures on the lines refer to the page.

# Township No. 8 North of Range No. 9 West 2nd Mer. Ind. 82

## South Boundary.

East Oak Random line On the South Boundary of sec. 31.  
T. 8 N. R. 9 W.  
40.00 Set a temporary 7/8 cu post  
57.00 Set Brook 6 mts wide, corner N.E.  
81.00 Set the temporary post for the cor of sec. 31 & 32  
Land here and rather too much for plain land timber  
Buck, Elm, Hickory & Oak.

East Oak Random line On the South Boundary of sec. 32.  
T. 8 N. R. 9 W.  
40.00 Set a temporary 7/8 cu post  
42.00 Set Brook 20 mts wide corner S.  
19.50 Set small brook corner N.E.  
80.00 Set a temporary post for the cor of sec. 32 & 33.  
Land & timber same. Just more rolling timber  
same 2nd rate.

East Oak Random line On the South Boundary of sec. 33.  
T. 8 N. R. 9 W.  
17.00 Set Brook 10 mts wide corner S.E.  
30.20 " " 25 " " " S.  
40.00 Set a temporary 7/8 cu post  
80.00 Set a " post for the cor of sec. 33 & 34  
Land & timber same.

East Oak Random line On the South Boundary of sec. 34.  
T. 8 N. R. 9 W.  
8.50 Set Brook 8 mts wide, corner S.E.  
40.00 Set a temporary 7/8 cu post  
76.00 Set Brook 9 mts wide, corner S.E.  
80.00 Set a temporary post for the cor of sec. 34 & 35  
Land & rolling; timber Oak, Buck, Sugar, Ash,  
Poplar, &c. Good land for farming

East Oak Random line On the South Boundary of sec. 35.

T. N. 8 N. R. N. 9 W 2<sup>nd</sup> Mer. Sec.

40.00	Set a trap 7 1/2 feet
49.46	Go about 100 links from corner S.
80.00	Set a trap 1 foot for the cor of sec 35 & 36. Land cleared & low & 3 <sup>rd</sup> rate. Timber Cedar, Maple & Ash
East	On the line between sec 35 & 36. On the South Boundary of sec 36. T. 8 N. R. 9 W.
40.00	Set a trap 7 1/2 feet
61.04	Set out the Range line 96 links North of the post cor. Sec. 35 & 36. T. 8 N. R. 9 W. Land cleared & low. Last 7 links of Dry Creek Oak & Hickory. Good land for wheat.
West	On the line between sec 35 & 36. T. 8 N. R. 9 W.
"	On the South Boundary of sec 36 T. 8 N. R. 9 W.
40.00	Set the trap 7 1/2 feet on the line from which Maple 12 in diam. trees N 78 E. 31 links north of W. Oak 13 " " S 80 W 31 " "
80.00	Set the trap 7 1/2 feet at the line from which Cedar 10 in diam. trees. N 27 E. 5 links north of Hickory 14 " " S 64 W 38 " "
West	On the line between sec 35 & 36. On the South Boundary of sec 35. T. 8 N. R. 9 W.
40.00	Set the trap 7 1/2 feet on the line from which W. Oak 8 in diam. trees. N 49 E. 6 links north of R. Oak. 8 " " S 64 W 10 " "
80.00	Set the trap 1 foot on the line from the cor of sec. 34 & 35 from which W. Oak. 27 in diam. trees. N 54 E. 35 links north of Cedar 5 " " S 81 W 17 " "
West	On the line between sec 34 & 35. On the South Boundary of sec 34. T. 8 N. R. 9 W.
40.00	Set the trap 7 1/2 feet on the line from which

85

T. N. 8 N. R. N. 9 T. 2nd Mer. Quad.

Beck 12 in dist. from. S39 E. 24 links met. by  
 Auger. 9 " " " N34 W 9 " "  
 80.00 Set a post for the cor. of sec. 33 & 34 on the true line  
 from which, Beck 12 in dist. from. S64 E. 24 links met. by  
 under. Hook 11 " " " S51 W. 24 " "

West On the true line On the South Boundary of sec. 33.  
 T. 8 N. R. 9 W.  
 40.00 Set a temporary post on the true line from which  
 Beck 12 in dist. from. N82 E. 24 links met. by  
 Beck 7 " " " S37 W 40 " "  
 80.00 Set the temporary post on the true line for the cor. of sec.  
 32 & 33 from which  
 N Oak 14 in dist. from. S80 E. 57 links met. by  
 Hook 12 " " " N55 W 51 " "

West On the true line On the South Boundary of sec. 32.  
 T. 8 N. R. 9 W.  
 40.00 Set the temporary post on the true line from which  
 Beck 9 in dist. from. N19 W. 11 links met. by  
 Ho. 12 " " " S39 E. 30 " "  
 80.00 Set the temporary post on the true line for the cor. of sec.  
 31 & 32 from which  
 Beck 12 in dist. from. S38 W. 9 links met. by  
 Poplar. 5 " " " N52 E 41 " "

West On a true line On the South Boundary of sec. 31.  
 T. 8 N. R. 9 W.  
 40.00 Set the temporary post on the true line from which  
 Hook 14 in dist. from. S11 E. 26 links met. by  
 Elm. 11 " " " N56 W 47 " "  
 60.32 Set the township corner post for the cor. of sec.  
 4, 6, 31 & 36, T. 7 & 8 N. R. 9 & 10 W from which  
 Beck 12 in dist. from. S37 E. 4 links met. by  
 Elm. 15 " " " N31 W. 23 " "



# T. No 8 N. R. No 9 W 2<sup>nd</sup> M. Ind.

East Boundary S 6° 15'	
North	On the East Boundary of Sec. 36. T. 8 N. R. 9 W.
40.00	Set a 1/4 section post from whitts Neck 10 in dia. trees. S 44 E. 54 links sub. to Do. 12 " " " N 81 W. 25 " "
80.00	Set a post for the cor. of Sec. 25 & 36 from whitts Maple 12 in dia. trees. N 62 W. 17 links sub. to Do. 20 " " " S 27 E. 31 " "
	Land here and out, Timber Oak & Hickory 3 <sup>rd</sup> rate. Land 3 <sup>rd</sup> rate for farming.
North	On the East Boundary of Sec. 25 T. 8 N. R. 9 W.
29.50	To a corner 107 links sub. corner S. W.
40.00	Set a 1/4 section post from whitts Oak 5 in dia. trees. S 8 E. 24 links sub. to Elm. 15 " " " N 10 W. 30 " "
	* True corner 5 ch North of this cor.
80.00	Set a post for the cor. of Sec. 24 & 25 from whitts Sugar. 15 in dia. trees. N 36 E. 30 links sub. to Oak 4 " " " S 35 W. 13 " "
	Land 1 <sup>st</sup> 1/2 mile here and out: last 1/2 rolling and middling good farming land.
North	On the East Boundary of Sec. 24 T. 8 N. R. 9 W.
3.00	To a Brook 10 links sub. corner S. E.
40.00	Set a 1/4 section post from whitts Beck 18 in dia. trees. N 82 E. 20 links sub. to Do. 24 " " " S 38 W. 36 " "
80.00	Set a post for the cor. of Sec. 13 & 24 from whitts Neck 18 in dia. trees. S 10 W. 25 links sub. to Oak. 8 " " " N 28 W. 47 " "
	Land a little rolling Timber Oak, & Hickory Oak, Elm & Beech, Good farming land.
North	On the East Boundary of Sec. 13. T. 8 N. R. 9 W.
40.00	Set a 1/4 section post from whitts

T. N. 8 N.R. N. 9 W 2nd Mer. S. 37

80.00 New R. 10 in diam. beam. N. 21 W 21 limbs each; 22  
 12 " " " " S. 26 W. 27 " "  
 Set a post for the cor of cor. 12 & 13 from white  
 Oak 18 in diam. beam. S. 33 W. 248 limbs each; 22  
 Land R. 1/2 mile same last for wood & rest.

North On the East Boundary of T. 8 N.R. 9 W  
 40.00 crossed the prairie  
 40.50 Set a post for the cor of cor. 12 & 13 from white  
 New R. 14 in diam. beam. S. 3 W 34 limbs each; 22  
 Beam. 14 " " " " N. 79 W 60 " "  
 67.50 Top Brook. 15 limbs each, across S. E.  
 79.50 " " 10. 8 " " " S. W.  
 80.00 Set a post for the cor of cor. 14 & 12 from white  
 Sugar. 8 in diam. beam. S. 3 W. 18 limbs each; 22  
 New R. 18 " " " " S. 32 W 33 " "  
 Land R. 1/2 mile into prairie; the last for wood.  
 Timber mostly Oak & Hickory some Elm, Ash &c.  
 Very bushy.

North On the East Boundary of T. 8 N.R. 9 W.  
 30.50 Top Brook. 10 limbs each, across S. E.  
 40.00 Set a post for the cor of cor. 12 & 13 from white  
 Oak 12 in diam. beam. S. 74 E. 23 limbs each; 22  
 Beam 12 " " " " N. 56 W 9 " "  
 79.13 Set a temporary post for the cor of T. 8 & 9 N.R. 8 & 9 W.  
 This post was established at 79.13.

North Boundary

East On a corner line On the South Boundary of T. 31.  
 T. 9 N.R. 9 W.  
 40.00 Set a temporary post  
 80.00 Set a temporary post for the cor of cor. 31 & 32.  
 Land here; first 3/4 land for wheat; last  
 1/4 for wood & rest; Timber Oak, Hickory & Poplar.



89

T. A. 8 N. R. N. 9 T. 2nd. Mon. Sun.

63.72 Enter East the Range line at the temp. en of T. 8 & 9 N.  
R. 8 & 9 N.

Long level and making good for wheat;  
Lumber Oak, Hickory & Poplar.

Met On the line line On the South Boundary of sec. 36.  
T. 9 N. R. 9 N. T. 6° 45' N. N.

40.00 Set a temp. N. support on the line line from which  
Hickory 9 in diam. beam. N 36 E. 7 links each; Pa  
W Oak 18 " " S 69 N. 11 " "

80.00 Set a post temp. on the line line for the en of sec. 35 & 36  
from which, Hickory 9 in diam. beam. N 68 E. 28 links each  
under a W Oak 16 " " " N 84 N. 29 " "

Met On the line line On the South Boundary of sec. 35.  
T. 9 N. R. N. 9 N.

40.00 Set the temp. N. support at the line line from which  
W Oak 8 in diam. beam. N 80 E. 24 links each; Pa  
W Oak 11 " " " S 75 N. 46 " "

80.00 Set the temp. post on the line line for the en of sec. 34 & 35.  
from which, Hickory 10 in diam. beam. N 76 E. 38 links each  
under a W Oak 9 " " " S 77 N. 39 " "

Met On the line line On the South Boundary of sec. 34.  
T. 9 N. R. 9 N.

40.00 Set a temp. N. support on the line line from which  
Hickory 8 in diam. beam. N 40 W. 29 links each; Pa  
W Oak 24 " " " S 3 E. 15 " "

80.00 Set the temp. post on the line line for the en of sec. 33 & 34.  
from which, W Oak 9 in diam. beam. N 67 W. 21 links each  
under a Hickory 8 " " " N 73 E. 28 " "

Met On the line line On the South Boundary of sec. 33.  
T. 9 N. R. 9 N.

40.00 Set the temp. N. support on the line line from which  
Hickory 10 in diam. beam. S 87 E. 47 links each; Pa



T. N. 8 N. R. 9 N. 2<sup>nd</sup> Mer. Sec. 5

80.00 Set a post 18 in dia. bur. N 27 W 1- 1/2 mch. for  
the true line for the cor. of sec. 32 & 33  
from which, Neuk 18 in dia. bur. N 44 E. 41 9 lbs dist

Nett On the true line between Sec. 32 & 33

" " " " On the South Boundary of sec. 32

T. 9 N. R. 9 W

40.00 Set the temp. 1/2 post for the true line from which  
Neuk 13 in dia. bur. N 68 E. 8 mch. mch. 7 1/2

Do, 13 " " " S 57 W. 40 " "

80.00 Set the temp. 1/2 post on the true line for the cor. of sec. 31 & 32  
from which, Neuk 10 in dia. bur. S 75 E. 34 lbs dist  
under a Oak 8 4 " " N 19 W. 18 4 "

Nett On the true line On the South B. of sec. 31

T. 9 N. R. 9 W.

40.00 Set the temp. 1/2 post at the true line from which  
Neuk 10 in dia. bur. S 46 W. 15 mch. mch. 7 1/2

Do, 9 " " " N 37 W. 12 4 "

63.72 Set a post at the intersection of the lines for the cor. of  
sec. 1, 6, 31 & 36. T. 8 & 9. N. R. 9 & 10 W. from which,  
Sugar. 9 in dia. bur. S 47 W. 25 mch. mch. 7 1/2  
Oak 15 4 " " N 56 W. 43 4 "

West Boundary - T. 6 & 45 W.

North On the East Boundary of sec. 36 T. 8 N. R. 10 W.

40.00 Set a post from which

Sugar 13 in dia. bur. S 52 E. 28 mch. mch. 7 1/2

Neuk 16 4 " " N 71 W. 51 " "

58.50 To a Brook. On the mch. line, leave S. E.

67.10 To a Neuk 10 in dia. in the line.

80.00 Set a post for the cor. of sec. 25 & 36. from which,  
Maple 18 in dia. bur. S 15 W. 35 mch. mch. 7 1/2

W. 8 4 " " S 79 E. 42 4 "

Leave R. 1/2 mch. grade for farming last 7 mch.  
line, and set a Limb Oak, Bush & Sugar 1/2

191

T. No 8 & R. No 9 T<sup>2</sup><sup>d</sup> Mm. Lm.

North 40,00	On the East Boundary of Sec. 25 T. 8. N. R. 10 W. Set a 7/8 cap post from whiter Reck. 12 in diam. beam. S 5 1/2 E. 25 links end; for W. Ad. 11 " " " " N 5 E. 25 " "
80,00	Set a post for the cor. of sec. 24 & 25 from whiter W. Ad. 27 in diam. beam. N 74 E. 17 links end; for Maple. 14 " " " " N 68 W. 38 " " Land here and on the rest; Timber same.
North 40,00	On the East Boundary of Sec. 24, T. 8 N. R. 10 W. Set a 7/8 cap post from whiter W. Ad. 8 in diam. beam. S 1 W. 5 links end; for Elm. 30 " " " " N 70 W. 3 " "
80,00	Set a post for the cor. of sec. 13 & 24 from whiter Elm. 12 in diam. beam. S 23 E. 14 links end; for Maple. 12 " " " " N 47 W. 30 " " This 1/2 mile further & first rate land; Timber Elm, Asp, Walnut, &c. rather too much in place. Last 1/2 mile land & covered with water.
North 40,00	On the East Boundary of Sec. 13, T. 8 N. R. 10 W. Set a 7/8 cap post from whiter Maple. 12 in diam. beam. S 27 E. 14 links end; for Asp. 18 " " " " S 99 W. 12 " "
80,00	Set a post for the cor. of sec. 12 & 13 from whiter Elm. 12 in diam. beam. N 45 W. 8 links end; for Maple. 14 " " " " East 40 " " Land here and on the rest; Timber Maple, Elm, & Oak, 3rd rate farming land; rich soil & good for horse
North 40,00	On the East Boundary of Sec. 12, T. 8 N. R. 10 W. Set a 7/8 cap post from whiter Reck. 78 in diam. beam. S 28 W. 21 links end; for Maple. 18 " " " " N 18 E. 9 " "
80,00	Set a post for the cor. of sec. 1 & 12 from whiter Elm. — in diam. beam. S 11 E. 7 links end; for

Sept 15 in dist. town. N 22 W 23 hnts east;  
Land of timber same. Good for wood

With Capt East Bromd. of eq. T. 8 N R 9 W  
40.00 Set a trap post from which  
Sept 13 in dist. town. S 7 E. 6 hnts east of  
Do 11 " " " S 86 W. 23 " "  
53.50 To a Brook. 15 hnts wide, corner W  
78.25 Set a trap post for the co. of T. 8 N R 9 W  
Set at alt. 78.34.  
Land a little rolling. Timber Oak, Hickory, Birch, &  
Ash. Good land for farming.  
Surveyed by  
William Harris Esq.

## Subdivisions

With Capt Kaudam line between Sur. 35 & 36. T. 8 N R 9 W  
3.00 To a Brook. 15 hnts wide, corner S. E.  
40.00 Set a trap post from which (Impr.) a  
Sept 10 in dist. town. N 9 W 21 hnts east, &  
Do 10 " " " S 7 E. 35 " "  
42.00 To a Brook. 100 hnts wide, corner S. W.  
67.50 " Do. 100 " " " S. E.  
79.50 " Do. 100 " " " S. W.  
81.00 Enter cut the Capt's Bromd. 12 hnts West of the  
post co. of Sur. 35 & 36.  
Land same.

West Return Sur. 25 & 36. T. 8 N R 9 W.  
21.00 To a Brook 100 hnts wide, corner S.  
36.50 " Do. 100 " " " S. W.  
40.00 Set a trap post from which  
Sept 14 in dist. town. S 47 W 4 hnts east. By  
Do. 54 " " " N 31 E 26 " "  
42.00 To a Brook. 100 hnts wide corner S. W.  
77.00 " Do. 100 " " " S.



J. N. S. N. R. N. 977 2<sup>nd</sup> Mar. Ind. 93

79.50 To a Brook. 15 miles mid, corner E.E.  
 80.00 Set a post for the cor of ev. 25.26.35 & 36. from white,  
 Cassafra. 4 in diam. beam. N 64 W. 14 miles mid, to  
 L. 5 " " " N 67 E. 33 " "  
 Sand had an no into under rumples. In to Oak,  
 Hawth & Birch,

South Oak Run in line between Jul 25 & 26. J. 8 N. R. 977.  
 30.00 To a Brook 4 miles mid corner W.  
 40.00 Set a post for the cor of ev.  
 59.00 To a Brook 14 miles mid, corner E. W.  
 75.00 " " 20. 15 " " " W.  
 80.10 In the ev. of the 8 & W. line 20 miles West of the post cor of  
 Jul 25.26.35 & 36.  
 Sand good for farming; In to Birch, Sugar Oak,  
 & Poplar &c.

North On the true line between Jul 25 & 26. J. 8 N. R. 977.  
 40.05 Set the true line for a post at the arched on the true line  
 from white, Sugar. 12 in diam. beam. N 10 W. 12 miles mid,  
 angle a L. 6 " " " N 69 W. 12 " "  
 This corner stands 500 miles South of the true corner.  
 which is not.  
 80.10 To the post cor of ev. 23.24.25 & 26.

West Return Jul 24 & 25 J. 8 N. R. 977.  
 33.00 To a Brook. 5 miles mid, corner E.  
 45.00 Set a post for the cor of ev. from white,  
 W Oak 30 in diam. beam. N 64 E. 46 miles mid, to  
 L. 10 " " " N 52 W. 21 " "  
 62.50 To a Brook. 6 miles mid, corner W.  
 80.00 Set a post for the cor of ev. 23 24 25 & 26 from white,  
 Birch 14 in diam. beam. N 70 W. 29 miles mid, to  
 L. 15 " " " N 84 E. 33 " "

North Return Jul 23 & 24 J. 8 N. R. 977



4.50 Top Brook 5 links wide, corner S.  
 40.00 Set a 7/8 cup post from which  
 Maple 15 in diam. bears. N 40 E. 64 links end; by  
 Bench 18 " " " S 7 N 20 " "  
 80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from  
 which Bench 18 in diam. bears. S 55 N. 33 links end  
 under a Loc. 14 " " " S 88 E. 33 " "  
 Sand bed timber same.

East On a line between Sec. 13 & 24 T. 8 N. R. 9 W.  
 9.50 Top Brook 10 links wide, corner S. E.  
 40.00 Set a temp. 7/8 cup post.  
 71.50 Top Brook 8 links wide, corner S. E.  
 79.58 Intersect the N. 15 W. Range line. 70 links South of the  
 post corner. 13 & 24  
 Sand bed timber same.

West On the line between Sec. 13 & 24 T. 8 N. R. 9 W.  
 39.79 Set the temp. 7/8 cup post at the an arch on the line  
 from which Dog wood 4 in diam. bears. S 24 N. 13 links end  
 under a "Heiko" 10 " " " N 22 W. 43 " "  
 79.58 To the post cor of sec. 13, 14, 23 & 24

North Between Sec. 13 & 14 T. 8 N. R. 9 W.  
 2.00 Top Brook. Chubby man, corner S. E.  
 40.00 Set a 7/8 cup post from which  
 Heiko 14 in diam. bears. S 31 E. 18 links end; by  
 Loc. 12 " " " N 57 W. 34 " "  
 80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which  
 J. Oak 10 in diam. bears. N 78 E. 17 links end; by  
 Loc. 10 " " " N 88 W. 16 " "  
 Sand bed East 7/8 Chubby timbered land given  
 for farming

East On a line between Sec. 12 & 13 T. 8 N. R. 9 W.  
 40.00 Set a temp. 7/8 cup post.

T. No 8 N.R. No 9 W. 2<sup>nd</sup> Mer. Sec. 95

62.50 To a Brook, 6 miles mid. corner  
 79.60 Into cut the N. 1/2 line or East Boundary 92 miles  
 South of the post on of sec. 12 & 13.  
 Lumber load & strike under brush.

West On the line between Sec. 12 & 13 T. 8 N. R. 9 W.  
 39.80 Set the trip 1/4 sup post at the ar. arch on the line  
 from which, I. Oak 10 in dia. from. N 38 W 60 mi. arch,  
 and a 12 4 4 4 31 E 36 4 4  
 79.60 To the post on of sec. 11, 12, 13 & 14

North Return Sec. 11 & 12 T. 8 N. R. 9 W.  
 40.00 Set a 1/4 sup post from which  
 N. 1/4 14 in dia. from. N 38 W 58 mi. arch, 70  
 12 4 4 4 N 30 W 30 4 4  
 54.00 Enter a prairie.  
 65.00 Passed "  
 80.00 Set a post for the cor of sec. 12, 11 & 10 from which  
 N. 1/4 15 in dia. from. N 40 W. 5 mi. arch, 70  
 Black 18 4 4 4 44 E. 198 4 4

East On a Random line between Sec. 1 & 12 T. 8 N. R. 9 W.  
 40.00 Set a trip 1/4 sup post  
 60.00 To a Brook 15 miles mid. corner.  
 79.70 Into cut the N. 1/2 line or East Boundary 62 miles South of  
 the post on of sec. 1 & 12

West On a line between Sec. 1 & 12 T. 8 N. R. 9 W.  
 39.85 Set the trip 1/4 sup post at the ar. arch on the line from  
 which, Sugar. 12 in dia. from. West 38 miles arch, 70  
 Log marks 8 4 4 4 N 62 E 36 4 4  
 79.70 To the post on of sec. 12, 11 & 10

North Return Sec. 1 & 12 T. 8 N. R. 9 W.  
 25.50 To a Brook 15 miles mid. corner S.E.  
 40.00 Set a 1/4 sup post from which

80.90	<p>W Oak 14 in diam. trees. S 5 E 27 limbs each, 72          Black 36 " " " " N 35 E 37 " "          Intercept the W &amp; E line or North Boundary 37 limbs each          of the post cor of sec. 35 &amp; 36. T. 9 N. R. 9 W. and set a          post for the cor. " " 1. &amp; 2 from which          Ash. Cor diam. trees. N 42 W. 15 limbs each, 72          Eng. 15 " " " " S 38 E 17 " "          Timber W Oak &amp; Poplar, Land good.</p>
<p>South          40.00          81.62</p>	<p>Original random line between Sec 34 &amp; 35. T. 8 N. R. 9 W.          Set a transp. 7/8 in post          Intercept the South Boundary 60 limbs East of the post.          cor of sec. 34 &amp; 35.          Land good for farming: Timber Sugar &amp;c.</p>
<p>North          40.81          81.62</p>	<p>Original line between Sec. 34 &amp; 35 T. 8 N. R. 9 W.          Set the transp. 7/8 in post at the cor each on the true line from          which W Oak 20 in diam. trees. S 8 W 30 limbs each,          under which 12 " " " " N 13 E 42 " "          To the post cor of sec. 26, 27, 34 &amp; 35.</p>
<p>West          40.00          80.00</p>	<p>Between Sec 26 &amp; 35. T. 8 N. R. 9 W.          Set a 7/8 in post from which          Birch 46 in diam. trees. N 81 E 42 limbs each, 72          Lr. 24 " " " " N 69 W 42 " "          Set a post for the cor of sec. 26, 27, 34 &amp; 35 from which          Birch 10 in diam. trees. S 48 E 13 limbs each, 72          Eng. 14 " " " " N 3 W 18 " "          Land rolling, made good for farming Timber Birch,          Poplar, Eng. &amp;c.</p>
<p>South          9.00          19.50          28.00          40.00</p>	<p>Original random line between Sec 26 &amp; 27 T. 8 N. R. 9 W.          To a Birch 4 limbs in diam, corner S. E.          To a " " 5 " " " " " " " "          " " 8 " " " " " " " "          Set a transp. 7/8 in post.</p>

# T. N. 8 N. R. N. 9 T. 2nd (M. Ind.) 1917

61.00 To a Brook 5 mib mid, Corna E.  
 67.00 " " Loc. 6 " " " "  
 7976 Intw cut the E & W line 46 mib West of the cor of sec  
 26, 27, 34 & 35.  
 Sugar & Buck, Oak Walnut &.

North V. 2nd line between Sec. 26 & 27. T. 8 N. R. 9 W.  
 39.88 Set a post 7/4 capost at the cor of sec on the line from  
 which, West 12 in de. l. line. S 97 W. 18 mib end, Pa  
 Buck. 14 " " N 75 E. 29 " "  
 4976. To the post of sec. 22, 23, 26 & 27.

West Between Sec. 23 & 26 T. 8 N. R. 9 W.  
 4.00 To a Brook 5 mib mid, Corna N. W.  
 9.00 " " Loc. 6 " " " " N. W.  
 40.00 Set a 7/4 capost from which,  
 West 12 in de. l. line. N 75 E. 25 mib end, Pa  
 " 9 " " " N 83 W. 22 " "  
 59.50 To a Brook 20 mib mid, Corna E.  
 77.00 " " Loc. 5 " " " " "  
 80.00 " " Loc. 4 " " " " "  
 80.00 Set a post for the cor of sec. 22, 23, 26 & 27 from which,  
 Buck 18 in de. l. line. N 59 E. 39 mib end, Pa  
 Loc. 15 " " " " S 28 W. 48 " "  
 Sande m. m. Lib. mib; Corde for farming?  
 Timber P. plan, Buck, Oak, Sugar, H. Oak,

North Between Sec. 22 & 23 T. 8 N. R. 9 W.  
 15.50 To a Brook 5 mib mid, Corna E.  
 25.50 " " Loc. 5 " " " " N. W.  
 40.00 Set a 7/4 capost from which,  
 Buck 18 in de. l. line. S 97 W. 36 mib end, Pa  
 Sugar 12 " " " " S 87 E. 16 " "  
 45.00 To a Brook 4 mib mid, Corna E.  
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which,



## T. N. 8 N. R. N. 9 T. 2nd Mer. Ind.

Brush 18 in dia: trees. N 32 E. 23 mts each. 1/2  
 16 " " " S 86 W 21 " "  
 Land & horse for farming.

East Oak Run line between Sec. 14 & 23. T. 8 N. R. 9 W  
 21.50 Trap Brook 15 mts wide, corner S.  
 40.00 Set a trap for 1/2 cup of  
 80.20 Set the trap for 1/2 cup of the part of  
 Sec. 13 14 23 & 24  
 Land had made good for farming. Timber Heister  
 Oak & c.

West Oak Run line between Sec. 14 & 23. T. 8 N. R. 9 W  
 40.10 Set the trap for 1/2 cup of the ar. oak for the line from  
 which, Poplar 20 in dia: trees. S 8 W 18 mts each. 1/2  
 Brush 10 " " " N 60 E. 16 " "  
 80.20 To the part of Sec. 14, 15 22 & 23.

North Bottom Sec. 14 & 15. T. 8 N. R. 9 W  
 5.00 Trap Brook 20 mts wide, corner S. E.  
 40.00 Set a trap for 1/2 cup of from which  
 1/2 Oak 18 in dia: trees. N 37 E. 7 mts each. 1/2  
 80.00 Set a trap for the cor. of Sec. 10 11. 14 & 15 from which  
 1/2 Oak 12 in dia: trees. N 50 E. 50 mts each. 1/2  
 Heister 12 " " " N 77 W. 14 " "  
 Land had North for good timber & good for farming

East Oak Run line between Sec. 11 & 14. T. 8 N. R. 9 W  
 10.00 Trap Brook 8 mts wide, corner S.  
 40.00 Set a trap for 1/2 cup of  
 80.06 Set the trap for 1/2 cup of the part of  
 Sec. 11. 12 13 & 14  
 Land had and good Timber same.

West Oak Run line between Sec. 11 & 14. T. 8 N. R. 9 W

99

T. N. 8 N. R. N. 9 T. 2nd Mer. Ind. 99

40.03 Set the trap 1/4 cup at the air dish on the line from which  
N. 11 in air. N. 59 E. 41 with sub. 72

L. 11 " " " 562 N. 33 " "

80.56 To the post cor. of L. 10. 11. 14 & 15.

North Between L. 10 & 11. T. 8 N. R. 9 W.

40.00 Cross a prairie.

40.00 Set a trap post from which

Oak 14 in air. N. 16 W. 108 with sub. 72

L. 18 " " " 170 E. 95 " "

80.00 Set a post for the cor. of L. 2, 3, 10 & 11 in prairie

N. bearing true

Same to 3rd rate.

East Open Random line between L. 2 & 11. T. 8 N. R. 9 W.

40.00 Set a trap 1/4 cup at

55.00 Passed prairie

55.00 To a Brook. 4 with sub. because N.

79.75 Enter L. 11 N. 13 W. 62 with North of the post cor. of L. 1, 2, 11 & 12

Same to same

West Another line between L. 2 & 11. T. 8 N. R. 9 W.

39.87 Set the trap 1/4 post at the air dish on the line from which  
N. 16 in air. N. 50 E. 16 with sub. 72

N. Oak 40 " " 383 N. 11 " "

79.75 To the post cor. of L. 2, 3, 10 & 11.

North Between L. 3 & 12 T. 8 N. R. 9 W.

40.00 Set a trap cup. No bearing true

58.50 Passed prairie

80.00 Enter L. 11 N. 13 W. 42 with East of the post cor. of L. 34 & 35 T. 9 N. R. 9 W. make a post for the cor. of L. 2 & 3 from which

N. Oak 14 in air. N. 20 W. 16 with sub. 72

N. 18 " " " 332 N. 7 " "

Land not for sale.

South On a Random line between Sec. 33 & 34 T. 8 N. R. 9 W.  
 40.00 Set a temporary  $\frac{1}{4}$  section post  
 80.43 Intersect the South Boundary 28 rods East of the post cor  
 of Sec. 33 & 34  
 Sand herb and rather wet. Timber Birch, Sugar,  
 Poplar, Hickory Not in some places.

North Return Sec. 33 & 34 On the line T. 8 N. R. 9 W.  
 40.21 Set the temporary  $\frac{1}{4}$  section post at the corner on the line  
 from which, Neils 10 in diam. trees N 60 W 37 the axis  
 and a Birch 16 " " N 62 E 32 " "  
 80.43 To the post cor of Sec. 27, 28, 33 & 34

West Return Sec. 27, 33, 34 T. 8 N. R. 9 W.  
 40.00 Set a  $\frac{1}{4}$  section post from which  
 Sugar 9 in diam. trees N 18 W 12 links axis, Pa,  
 20 " " " N 20 E 32 " "  
 80.00 Set a post for the cor of Sec. 27, 28, 33 & 34 from which  
 Neils 14 in diam. trees N 27 W 19 links axis, Pa,  
 Spruce 9 " " " N 29 W 33 " "  
 Sand herb, Timber Birch, Sugar, Poplar, Hickory  
 &c. Some places rather wet.

North Return Sec. 27 & 28 T. 8 N. R. 9 W.  
 40.00 Set a  $\frac{1}{4}$  section post from which  
 Neils 14 in diam. trees N 56 E 37 links axis, Pa,  
 20 " " " N 15 W 15 " "  
 80.00 Set a post for the cor of Sec. 21, 22, 27 & 28 from which  
 Spruce 12 in diam. trees N 14 W 20 links axis, Pa,  
 Neils 18 " " " N 35 W 20 " "  
 Sand herb as last mile.

East On a Random line between Sec. 22 & 27 T. 8 N. R. 9 W.  
 40.00 Set a temporary  $\frac{1}{4}$  section post



T. N. 8 N. R. N. 9 T. 2nd. (Mr. Ind. <sup>100</sup>

45.00 To a Brook 5 miles wide, corner A  
79.24 Enter cut the N. 13 line 96 miles North of the post on of  
Sec 22, 23, 26 & 27.  
Land East of Brook for farming;

West On the line between Sec 22 & 27 T. 8 N. R. 9 W.  
39.62 Set the temporary post at the ar. mid on the line from  
whichever Brook 18 in diam. from. S 20 W 30 miles, sec, 22,  
23, 18 & " " N 61 W 32 " "  
79.24 To the post on of Sec. 21, 22, 27 & 28,

North Between Sec. 21 & 22 T. 8 N. R. 9 W  
40.00 Set a post from whichever  
Elev. 10 in diam. from. S 39 W 13 miles, sec, 22,  
23, 12 & " " S 42 E 30 " "  
80.00 Set a post for the cor. of Sec. 15, 16, 21 & 22 from whichever,  
N 42 E 27 in diam. from. N 12 W 30 miles, sec, 22,  
23, 20 & " " " N 42 E 54 " "  
Land here and adjoining good for farming;  
Timber Brook, Cedar, Oak, Ash, Poplar, Hickory

East On a line between Sec. 15 & 22 T. 8 N. R. 9 W  
32.00 To a Brook — miles wide, corner N.  
40.00 Set a 1/4 sec. (temporary) post  
79.15 Enter cut the N. 13 line 33 miles North of the post on of  
14, 15, 22 & 23.  
Land rather rolling and good for farming Timber dense

West On the line between Sec. 15 & 22 T. 8 N. R. 9 W  
39.54 Set the temporary post at the ar. mid on the line from  
whichever Brook 18 in diam. from. N 55 E 56 miles, sec,  
22, 23, 12 & " " " S 39 W 49 " "  
79.15 To the post on of Sec. 15, 16, 21 & 22

North Between Sec. 15 & 16 T. 8 N. R. 9 W  
40.00 Set a post from whichever



80.00	<p>W Oak 16 in diam. trees. S 7 N. 16 links each; S 2, 4          Apr. 10 " " " N 25 N. 7 " "</p> <p>Set a post for the cor of sec. 9. 10. 15 &amp; 16. from which          White 12 in diam. trees N 6 E. 53 links each; S 2,          10. 14 " " " S 31 E. 49 " "</p> <p>Good land and mid. big Good for farming          Timber Buck. Oak, Poplar &amp; White</p>
East 16.50 40.00 79.31	<p>On a Random line between Sec. 10 &amp; 15 T. 8. N. R. 9 W</p> <p>Top Rock 10 links mid. corner S. E.</p> <p>Set a temporary 7/8 in. post.</p> <p>Enter cut the N &amp; S line 22 links North of the post cor of          Sec. 10, 11, 14 &amp; 15.</p> <p>Good land &amp; 2<sup>nd</sup> rate; Timber Oak, &amp; White 2<sup>nd</sup> rate.</p>
West 39.65 79.31	<p>On the new line between Sec. 10 &amp; 15 T. 8. N. R. 9 W</p> <p>Set the temporary 7/8 in. post at the cor. each on the new line          from which, White 10 in diam. trees S 6 N. 11 links each; S 2,          W Oak 24 " " " North 61 " "</p> <p>To the post cor of sec. 9. 10. 15 &amp; 16.</p>
North 40.00 80.00	<p>Return Sec. 9 &amp; 10. T. 8. N. R. 9 W</p> <p>Set a 7/8 in. post from which          B. Oak 10 in diam. trees. S 16 N. 40 links each; S 2,          10 — " " " S 84 E. 12 " "</p> <p>Set a post for the cor of sec. 3. 4. 9 &amp; 10 from which          B. Oak 12 in diam. trees S 59 N. 50 links each; S 2,          10. 3 " " " N 40 N. 34 " "</p>
East 40.00 61.50 78.38	<p>On a Random line between Sec. 3 &amp; 10 T. 8. N. R. 9 W</p> <p>Set a temporary 7/8 in. post</p> <p>Enter a prairie</p> <p>Enter cut the N &amp; S line 5 links South of the post cor.          of sec. 2, 3, 10 &amp; 11.</p>

Friday Jan. 14. 1814

102

T. N. 8 N. R. N. 9 W 2nd Mer. Ind.

West 39.19 On the new line between Sec 3 & 10. T. 8 N. R. 9 W.  
 Set the temporary suppost at the arch on the new line from  
 which Log rock 6 in dia. here. S 42 E. 9 1/2 m. ch.  
 and c. W Oak 14 " " " N 85 W. 21 " "  
 18.38 To the post on of sec 3, 4, 9, & 10.

North 40.00 Between Sec 3 & 4. T. 8 N. R. 9 W.  
 Set a p. suppost from which  
 Cherry 3 in dia. here. N 49 W. 13 m. ch. to  
 Elev. 12 " " " S 7 E. 49 " "  
 65.00 To a Brook. 6 m. ch. midy. corner S. W.  
 80.21 Enter cut the N. Boundary 300 m. East of the post on of  
 Sec 33 & 34. T. 9 N. R. 9 W. and set a post for the  
 cn of sec. 3 & 4. from which  
 W Oak 24 in. dia. here. North 4 m. ch. to  
 W Oak 15 " " " S 60 W. 45 " "  
 Land good for farming; Timber B & W Oak, Hickory,

South 40.00 On a random line between Sec 32 & 33. T. 8 N. R. 9 W.  
 Set a temporary suppost.  
 81.17 Enter cut the South Boundary 29 m. East of the post  
 on of sec. 32 & 33.  
 Land level and good for farming; Pasture rather wet.  
 Timber Birch, Sugar Oak, & Poplar. Ash &c.

North 40.58 On the new line between Sec 32 & 33. T. 8 N. R. 9 W.  
 Set the temporary suppost at the arch on the new line  
 from which Birch 10 in dia. here. N 40 E. 9 1/2 m. ch.  
 and c. L. 12 " " " S 33 E. 39 " "  
 81.17 To the post on of sec. 28, 29, 32 & 33.

Wednesday Jan. 12. 1814

West 40.00 On the new line between Sec 28 & 33. T. 8 N. R. 9 W.  
 Set a p. suppost from which  
 Birch 12 in dia. here. N 11 W. 24 m. ch. to  
 L. 9 " " " S. W. 7 " "

## T. N. 8 N. R. N. 9 T. 2nd Mer. Sec. 1

41.00 Top Brook 20 mls mid, corner S.  
 80.00 Set a post for the cor of sec 28, 29, 32 & 33 from which  
 Beach 12 in dir. from N 45 E. 43 mls each, & a  
 H. 11 1/2 " " S 66 N. 16 "  
 Land here and adjoining good for farming  
 Timber Hickory, Sugar, &c.

North Between Sec. 28 & 29, T. 8 N. R. 9 N. V. 6. 30'  
 33.50 Top Brook. 15 mls mid, corner E.  
 40.00 Set a post from which  
 R. Oak 30 in dir. from S 49 E. 42 mls each, & a  
 W. Oak 16 " " " S 72 N. 37 "  
 80.00 Set a post for the cor of sec. 20, 21, 28 & 29 from which  
 Beach. 15 in dir. from S 30 E. 24 mls each, & a  
 B. Walnut 12 " " " N 14 N. 43 "  
 Land here and good for farming; in some places  
 rather wet & flat; Timber Birch, Oak, Hickory, Ash, &c.

East On a line between Sec 21 & 28 T. 8 N. R. 9 N.  
 30.00 Top Brook. 15 mls mid, corner S. V. to 40'.  
 40.00 Set a temp. 7/8 post.  
 80.00 Set out the N. 8 S. line 45 mls N. of the post cor of  
 Sec. 21, 22, 27 & 28  
 Same same

Jan'y 13, 1814

West On the line between Sec 21 & 28 T. 8 N. R. 9 N.  
 40.00 Set the temp. 7/8 post at the cor with on the line  
 from which Beach. 14 in dir. from N 73 E. 20 mls each  
 under H. 13 " " " N 68 N. 29 "  
 80.00 Set the post cor of sec. 20, 21, 28 & 29

Jan'y 13<sup>th</sup> 1814

North Between Sec 20 & 21, T. 8 N. R. 9 N.  
 40.00 Set a post from which  
 W. Oak 4 in dir. from S 83 E. 12 mls each, & a



I. N<sup>o</sup> 8 N R N<sup>o</sup> 9 N. 2<sup>nd</sup> (Mm) End. 105

80.00	Heckberry, 5 in diam. trees. N17 N. 21 1/2 mi. N. S. Set a post for the end of line 16. 17. 20 & 21. From which W Oak 16 in diam. trees. S34 N. 37 1/2 mi. N. S. by Dm. 8 " " " " N44 E. 53 " "
East 40.00 80.76	On a random line between Sec. 16 & 21. I. 8 N R. 9 N. Set a trap 1/2 mi. S. post. Intersect the N15 line 5 mi. South of the post on of line 15. 16. 21 & 22. Good good timber W Oak, & poplar.
West 40.38 80.76	On the true line between Sec. 16 & 21. I. 8 N R. 9 N. Set a 1/2 mi. S. post on the true line at the car dish from which W Oak. 15 in diam. trees. S14 N. 18 1/2 mi. N. S. by Dm. 10 " " " " N23 N. 22 " " To the post on of line 16. 17. 20 & 21.
North 1.00 40.00 80.00	Between Sec. 16 & 17. I. 8 N R. 9 N. To Brook 6 mi. N. by (Cowan S. E.) Set a 1/2 mi. S. post from which Heckberry 12 in diam. trees. S36 E. 7 1/2 mi. N. S. by Lho. 10 " " " " N53 E. 18 " " Set a post for the end of line 8. 9. 16 & 17 from which W Oak 16 in diam. trees. S27 N. 38 1/2 mi. N. S. by Lho. 5 " " " " S72 N. 38 " "
West 40.00 60.00 80.32	On a random line between Sec. 9 & 16. I. 8 N R. 9 N. Set a trap 1/2 mi. S. post on the edge of a prairie Passed prairie. Intersect the N15 line 5 mi. North of the post on of line 9. 10. 15 & 16. From which W Oak 18 in diam. trees. S49 N. 59 1/2 mi. N. S. by Heckberry 6 " " " " S15 E. 52 " "
East 40.16	On the true line between Sec. 9 & 16. I. 8 N R. 9 N. Set the trap 1/2 mi. S. post at the car dish on the true line



80.30 To the post on of ens. 9. 10. 15. 16.

Jan. 14. 1814.

North Return Ens. 8 & 9. J. 8. N. R. 9 W.

40.00 Set a post from which

1 Oak 24 in dia. beam. S 31 W. 112 the dist.

80.00 Set a post for the en of ens. 4. 5. 8 & 9 from which

1 Oak 14 in dia. beam. N 30 E. 105 with each. 12

Do. 12 " " " " N 55 W. 144 " "

This mark is through a bushy 3<sup>rd</sup> rate; not proven

West Return Ens. 4 & 9. J. 8 N. R. 9 W. Run on line

1.50 To a Brook. 6 the miles, corner S. E.

40.00 Set a post in support.

80.24 Intersect the N 13 line. 8.14 with South of the post  
en of ens. 4. 5. 8 & 9

East On a new line Return Ens. 4 & 9. J. 8 N. R. 9 W.

40.10 Set a post in support at the end of the line

from which, 1 Oak 10 in dia. beam. N 74 E. 14 the dist.

made a Do. 12 " " " " N 14 E. 33 " "

80.24 To the post on of ens. 3. 4. 9. & 10.

North Return Ens. 4 & 5. J. 8 N. R. 9 W.

27.50 To a Brook 6 the miles, corner S. W.

40.00 Set a post from which

Chr. 8 in dia. beam. S 84 W. 16 the dist. 12

1 Oak 15 " " " " N 84 E. 14 " "

79.48 Intersect the N 13 line at 314 with East of the post  
en of ens. 3 & 5. J. 9 N. R. 9 W. and set a post for the

" " 4 & 5 from which

1 Oak 8 in dia. beam. N 58 E. 104 with each, 12

Do. 3 " " " " S 28 E. 90 " "

Set a post for farming line 1 Oak, 13  
Oak & 1/2

107

T. N. 8 N. R. N. 9 T. 2nd Mer. Ind.

South  
40.00 Open Run down line between Sec 31 & 32 T. 8 N. R. 9 W.  
Set a trap 1/2 mi. up post.  
43.00 To a Brook 15 mi. wide, corner C.  
81.29 Enter out the N. 9 W. line to South Brook N. 1 20th  
West of the post on of sec. 31 & 32.  
Land looks as if part good for farming & part rather  
moor; Timber Birch, Sugar Oak, Poplar Ash.

North  
40.58 Return Sec. 31 & 32 T. 8 N. R. 9 W.  
Set a trap 1/2 mi. up post at the ar. dash on the line  
from which, Brook 10 in diam. trees. N. 71 W. 20th mi.  
under Do. 13 " " " N. 39 E. 13 " "  
80.29 To the post on of sec. 29, 30, 31 & 32.

West  
40.00 Return Sec. 29 & 30 T. 8 N. R. 9 W.  
Set a trap up post from which,  
Oak 11 in diam. trees. N. 79 E. 9 mi. west; on  
Map 12 " " " West 36 " "  
40.00 To a small Brook. corner C.  
80.00 Set a post for the corner of sec. 29, 30, 31 & 32 from which,  
Oak 12 in diam. trees. N. 66 E. 3 1/2 mi. west; on  
Do. 4 " " " N. 71 W. 19 " "  
Land & timber same.

West  
15.00 Return Sec. 30 & 31 T. 8 N. R. 9 W.  
To a Brook 8 mi. wide corner C.  
40.00 Set a trap up post from which,  
Sugar 8 in diam. trees. N. 59 E. 34 mi. west; on  
Brook 12 " " " S. 59 W. 22 " "  
62.72 Enter out the West Brook N. 1 107 mi. North of the  
post on of sec. 25 & 36. T. 8 N. R. 10 W. and set on  
" " " " 30 & 31 from which,  
Sugar 11 in diam. trees. S. 20 W. 32 mi. west; on  
Map 24 " " " S. 81 W. 23 " "  
Land looks as if good for farming Timber Birch,  
Sugar Oak & Hickory

## T. N. 8 N. R. 9 W. 2nd Mer. Sur.

South  
40.00 Ogan Run dam line between Sec 29 & 30 T. 8 N. R. 9 W.  
Set a 1/4 sec post (from p. 17)  
80.85 Enter cut the East & West at the post cor of sec.  
29, 30 & 31 R. 2.  
Says a brook can do much better good for farming  
Twin Lake.

North  
40.40 Ogan Run line between Sec 29 & 30 T. 8 N. R. 9 W.  
Set the township 1/4 sec post at the corner on the line  
line from which  
Sugar 14 in dist. from. N 35 E 23 links each, to  
Do. 8 " " " N 23 W 30 " "  
80.85 To the post cor of sec. 19, 20 & 29 R. 30

West  
30.00 Return Sec. 20 & 29 T. 8 N. R. 9 W.  
To a Brook 10 links wide, corner S.  
40.00 Set a 1/4 sec post from which  
Hickory 12 in dist. from. N 20 W 21 links each, to  
Oak 11 " " " S 33 E 21 " "  
80.00 Set a post for the cor of sec. 19, 20, 29 & 30 from which  
Sugar 27 in dist. from. N 39 E 35 links each, to  
Oak 12 " " " S 1 E 32 " "  
Said brook Twin Oak Brook, Sugar, &c.  
1/2 mile wide good for farming, last 1/2 mile or less  
mt.

West  
36.00 Return Sec. 19 R. 30 T. 8 N. R. 9 W.  
To a Brook 10 links wide, corner S. W.  
40.00 Set a 1/4 sec post from which  
Oak 24 in dist. from. N 85 E 38 links each, to  
Oak 12 " " " S 70 W 20 " "  
63.79 Enter cut the West Run at 142 links North of the  
post cor of sec. 24 & 25 T. 8 N. R. 15 W. and set  
" " " " 19 R. 30 from which  
Oak 30 in dist. from. N 22 E 45 links each, to  
Hickory 15 " " " N 29 W 74 " "



J. N. 8 N.R. N. 9772<sup>nd</sup> Mm. Sur. 109

Land level and mt; limits same.

North Return Sur. 1920. J. 8 N.R. 977.

40,00 Set a 7/8 cup post from which  
Maple. 10 in diam. bears N 32 E. 13 links each; 72,  
Elev. 10 " " " South 3 " "

80,00 Set a post for the cn of sur. 17, 18, 19 & 20 from which,  
Oak. 14 in diam. bears S 42 E. 44 links each; 72,  
Maple. 14 " " " N 57 W. 28 " "  
Land level & swampy; thickets of R. & S. & Maples  
& Brins 3<sup>rd</sup> rate.

East On a Random line between Sur. 17 & 20. J. 8 N.R. 977.

40,00 Set a 7/8 cup post

79.30 (Set the 7/8 cup post) Intersect the N 05<sup>th</sup> line of the post.  
cn of sur. 16, 17, 20 & 21.

Land level & swampy 3<sup>rd</sup> rate mt; shrubby, last 7/8 Oak, &  
Hickory &.

West On the line between Sur. 17 & 20 J. 8 N.R. 977.

39.65 Set the 7/8 cup post at the cross mark on the line  
from which, Oak. 24 in diam. bears N 77 E. 65 links each  
and a Loc. 20 " " " S 69 W. 42 " "

79.30 To the post cn of sur. 17, 18, 19 & 20

West Return Sur. 18 & 19. J. 8 N.R. 977.

40,00 Set a 7/8 cup post from which

Elev. 6 in diam. bears N 27 W. 15 links each; 72,  
Loc. 8 " " " S 47 W. 11 " "

64.09 Intersect the N 05<sup>th</sup> line 100 links north of the post cn of  
Sur. 13 & 24 J. 8 N.R. 1077 and set a post for the cn  
of sur. 18 & 19 from which,

Maple. 20 in diam. bears East 13 links each; 72,  
Oak 4 " " " S 87 W. 14 " "

Land level & swampy thicket Maple, Elm, Ash &



North	Return Dec. 17 & 18 T. 8 N.R. 9 W
40.00	Set a 1/4 in. post from which Oak 9 in. dist. from 423 E. 14 units north, 700 Elm. 8 " " " " 152 W. 14 " "
80.00	Set a post for the corner of sec. 7, 8, 17, & 18 from which Maple 12 in. dist. from 15 E. 27 units north, 200 Elm. 9 " " " " 145 W. 21 " " "
	Good land, Timber Oak, Elm, Ash, &c. Land not considerably brushy.
East	On a line between Dec. 8 & 17 T. 8 N.R. 9 W.
40.00	Dr. Brook. 6 units north, from N.E.
40.00	Set a 1/4 in. post
80.03	Set a post on the N.W. line 34 units south of the post corner of sec. 8, 9, 16 & 17. Good land Timber Oak & Maple; Land middling Good for farming
West	On a line between Dec. 8 & 17 T. 8 N.R. 9 W
40.00	Set the corner post at the corner on the line from which Oak 11 in. dist. from 152 W. 22 units north, under 13 " " " " 135 E. 17 " " "
80.03	Set the post corner of sec. 7, 8, 17 & 18.
West	Return Dec. 7 & 18 T. 8 N.R. 9 W
40.00	Set a 1/4 in. post from which Elm. 27 in. dist. from 177 W. 8 units north, 200 Maple 10 " " " " 112 E. 24 " " "
64.25	Set a post on the N.W. line or West Boundary. — The south of the post corner of sec. 12 & 13. T. 8 N.R. 10 W. & Set a post for " " " " 7 & 18 from which Maple 16 in. dist. from 115 E. 22 units north, 200 Oak 10 " " " " 174 E. 35 " " "
	Good pt. 1/2 mile Good for farming; last 1/2 mile and more. Timber Maple & Elm.



## T. No 8 N. R. No 9 T. 2nd Mer. Indr.

North Return Sur. 5 & 6. T. 8 N. R. 9 T. 2.  
 31.00 To a Burd 15 mds mds, former N. R.  
 40.00 Sur. a post from which  
 Neuk 14 in dist. from N. 67 N. 44 mds mds, to  
 Gpm. 9 a 2 " N. 70 N. 34 a 2 "  
 7830 Intersub the N. R. mds. 7 225 mds East of the post on  
 of Sur. 31 & 32. T. 9 N. R. 9 T. 2. mds do set a post for the  
 end of Sur. 5 & 6. from which  
 Neuk 12 in dist. from N. 75 N. 10 mds mds, to  
 Gpm. 11 a 4 " N. 77 E. 41 a 4 "  
 Good rolling & Good for farming; Timber  
 Oak, Hickory, Ash &c.

Surveyed by  
 William Harris Esq.

I certify that the foregoing Transcript of the  
 field notes of Township No 8. North of Range  
 No 9 West of the 2nd Mer. Sur. has been compar-  
 ed with the Original notes in this Office found to be  
 correct.

Surveyor General's Office,  
 Cincinnati, Aug. 24, 1841

E. S. Dineen  
 Sur. Genl.